

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method to electronically deliver a message from a sender to an intended recipient based on tracking movement of a mobile object, the method comprising:

enabling both the sender and the intended recipient to send and receive an electronically deliverable message;

obtaining a message provided by the sender;

obtaining a location designated by the sender for delivery of said message;

tracking a specified mobile object having a position-determining device that determines its own current position, and which transmits its then current position at preset time intervals;

determining from the transmitted current position whether the specified mobile object has reached said designated location; and

initiating a procedure for automatic delivery of said message electronically to the intended recipient upon said specified mobile object being determined to have reached said designated location

~~and with the intended recipient being at a different location,~~
wherein said designated location is a different location from where
the sender provided the message;

wherein said specified mobile object is identified by the sender, and has a motion characteristic not associated with motion of the intended recipient.

2-4. (Canceled)

5. (Original) The method of claim 1, wherein the intended recipient is animate.

6. (Previously presented) The method of claim 1, wherein the intended recipient is inanimate.

7-8. (Canceled)

9. (Original) The method of claim 1, wherein said message is at least one of data, text, audio and video.

10. (Original) The method of claim 1, wherein a mode in which said message is reproduced for the intended recipient is in accordance with a setting controlled by the intended recipient.

11. (Original) The method of claim 1, wherein delivery of said message is controlled in accordance with a delivery rule provided by the sender.

12. (Original) The method of claim 11, wherein initiating said procedure for automatic delivery of said message upon detection of said specified mobile object reaching said designated location message comprises processing said delivery rule.

13. (Original) The method of claim 1, wherein said obtaining of the message comprises receiving and storing a message based on input from the sender.

14. (Original) The method of claim 1, wherein said obtaining of the message comprises retrieving a message from among a plurality of stored messages based on input from the sender.

15. (Original) The method of claim 1, wherein said obtaining of the designated location comprises obtaining a location based on input from the sender.

16. (Original) The method of claim 1, wherein said obtaining of the designated location comprises retrieving a location from among a plurality of stored locations based on input from the sender.

17. (Original) The method of claim 1, further comprising obtaining an identification of the intended recipient based on input from the sender.

18. (Original) The method of claim 11, wherein said rule includes instructions for repeating delivery of said message.

19. (Original) The method of claim 11, wherein said intended recipient includes a plurality of recipients identified by the sender.

20. (Currently amended) A method for delivering a message with an electronic communication system servicing a plurality of clients in a client-server relationship, wherein the system includes a server, and wherein each of the clients includes a position-determining device, the method comprising:

providing each of the clients with a position-determining device that determines its own current position;

obtaining, at the server, a message based on input from a first client;

obtaining, at the server, a designated location based on input from said first client;

obtaining, at the server, an identification of a second client as the intended recipient of said message, based on input from said first client;

obtaining, at the server, identification of one of the clients which is to be tracked for delivery of said message;

determining, from the position-determining device of said client to be tracked for delivery of said message, whether said client being tracked has arrived at said designated location;

automatically triggering electronic delivery of said message to the intended recipient upon said tracked mobile client being

determined to have arrived at said designated location ~~and with the intended recipient being at a different location, wherein said designated location is a different location from where the first client provided the input;~~ and

identifying said tracked mobile client, wherein said tracked mobile client has a motion characteristic not associated with motion of the intended recipient.

21. (Canceled)

22. (Original) The method of claim 20, wherein said step of obtaining identification of a client to be tracked for delivery of said message comprises obtaining said identification based on input from the first client.

23-27. (Canceled)

28. (Currently amended) A method for automatically delivering a message electronically from a sender with a communication system servicing a plurality of potential recipients for receiving a

message, and based upon position-determining technology, comprising:

obtaining a message based on input from the sender;

obtaining a designated location based on input from the sender;

obtaining identification of at least two recipients, from among the plurality of potential recipients, based on input from the sender; and

automatically delivering said message electronically to one of said identified recipients based upon the position of said one of the ~~intended~~ identified recipients relative to another of said identified recipients, as derived from the position-determining technology, and ~~with said one identified recipient and said one intended recipient being at different locations~~ wherein said designated location is a different location from where the sender provided the input, wherein motion characteristics of said identified recipients are not associated with each other.

29. (Original) The method of claim 28, wherein each of the plurality of potential recipients includes a position-determining device to determine its current position.

30. (Currently amended) A method for delivering a message with an electronic communication system, wherein the system includes a server, and with the system servicing a plurality of clients in a client-server relationship, at least some of the clients being mobile and having a position-determining device, the method comprising:

obtaining, at the server, a message based on input from a first client;

obtaining, at the server, an identification of a second, mobile client as the intended recipient for receiving said message, based on input from said first client;

obtaining, at the server, an identification of a third client, based on input from said first client; and

automatically triggering electronic delivery of said message to the intended recipient upon said second, mobile client being determined to be at a designated position relative to the position of said third client, and with the intended ~~recipient and said second, mobile client being at different locations~~recipient, wherein said designated location is a different location from where the first client provided the input, wherein motion characteristics

of the intended recipient, second client and third client are not associated with each other.

31. (Original) The method of claim 30, wherein said third client is also a mobile client having a position-determining device.

32. (Original) The method of claim 30, wherein said first and second clients are the same client.

33. (Currently amended) A method for operating an electronic communications system servicing a plurality of users for enabling any sender who is a user to automatically deliver a message electronically to an intended recipient who is also a user, based on the tracked position of a specified mobile object, comprising:

enabling each of the plurality of users to both send and receive electronic message data;

processing and storing electronic message data provided by the sender;

tracking the position of the specified mobile object;

automatically delivering the stored electronic message data to the intended recipient upon arrival of the specified mobile object at a designated location ~~and with the intended recipient being at a different location, wherein said designated location is a different location from where the sender provided the electronic message data;~~ and

identifying said specified mobile object, wherein said specified mobile object has a motion characteristic not associated with motion of the intended recipient.

34. (Original) The method of claim 33, wherein said message data includes said message, said intended recipient, and a delivery rule.

35. (Original) The method of claim 33, wherein said message data includes said message.

36. (Original) The method of claim 33, wherein said message data includes said intended recipient.

37. (Original) The method of claim 33, wherein said message data includes a delivery rule.

38. (Original) The method of claim 33, wherein said message data includes identity of said specified mobile object.

39. (Original) The method of claim 33, wherein said message data includes said designated location.

40. (Currently amended) Apparatus to electronically deliver a message from a sender to an intended recipient based on tracking movement of a mobile object, the apparatus comprising:

 means for enabling both the sender and the intended recipient to send and receive an electronically deliverable message;

 means for obtaining a message provided by the sender;

 means for obtaining a location designated by the sender for delivery of said message;

 means for tracking a specified mobile object having a position-determining device that determines its own current position, and which transmits its then current position at preset time intervals;

means for determining from the transmitted current position whether the specified mobile object has reached said designated location;

means for initiating a procedure for automatic delivery of said message electronically to the intended recipient upon said specified mobile object being determined to have reached said designated location and with the intended recipient being at a different location, wherein said designated location is a different location from where the sender provided the message; and

means for identifying said specified mobile object, wherein said specified mobile object has a motion characteristic not associated with motion of the intended recipient.

41. (Currently amended) Apparatus for delivering a message with an electronic communication system servicing a plurality of clients in a client-server relationship, wherein the system includes a server, and wherein each of the clients includes a position-determining device for determining its own current position, the apparatus comprising:

means for obtaining, at the server, a message based on input from a first client;

means for obtaining, at the server, a designated location based on input from said first client;

means for obtaining, at the server, an identification of a second client as the intended recipient of said message, based on input from said first client;

means for obtaining, at the server, identification of a mobile client to be tracked for delivery of said message;

means for determining, from the position-determining device of said client to be tracked for delivery of said message, whether said client being tracked has arrived at said designated location;

means for automatically triggering electronic delivery of said message to the intended recipient upon said tracked mobile client being determined to have arrived at said designated location ~~and with the intended recipient being at a different location, wherein~~ said designated location is a different location from where the first client provided the input; and

means for identifying said tracked mobile client, wherein said tracked mobile client has a motion characteristic not associated with motion of the intended recipient.

42. (Currently amended) Apparatus for delivering a message with an electronic communication system servicing a plurality of clients in a client-server relationship, wherein the system includes a server, and wherein each of the clients includes a position-determining device for determining its own current position, the apparatus comprising:

means for obtaining, at the server, a message based on input from a first client;

means for obtaining, at the server, a designated location based on input from said first client;

means for obtaining, at the server, a delivery rule based on input from said first client for delivering said message to an intended recipient, wherein said delivery rule includes arrival of a specified mobile client at said designated location;

means for determining, from the position-determining device of said mobile client, whether said specified mobile client has arrived at said designated location;

means for upon said specified mobile client being determined to have arrived at said designated location, ~~and with the intended recipient being at a different location~~ wherein said designated location is a different location from where the first client

provided the input, triggering electronic delivery of said message to the intended recipient, based upon said delivery rule; and

means for identifying said specified mobile client, wherein said specified mobile client has a motion characteristic not associated with motion of the intended recipient.

43-44. (Canceled)

45. (Currently amended) Apparatus for automatically delivering a message electronically from a sender with a communication system servicing a plurality of potential recipients for receiving a message, and based upon position-determining technology, comprising:

means for obtaining a message based on input from the sender;

means for obtaining a designated location based on input from the sender;

means for obtaining identification of at least two recipients, from among the plurality of potential recipients, based on input from the sender; and

means for automatically delivering said message electronically to one of said identified recipients based upon the position of

said one of the identified recipients relative to a different position of another of said identified recipients, as derived from the position-determining technology, wherein motion characteristics of said identified recipients are not associated with each other, and wherein said designated location is a different location from where the sender provided the input.

46. (Currently amended) Apparatus for delivering a message with an electronic communication system, wherein the system includes a server, and with the system servicing a plurality of clients in a client-server relationship, at least some of the clients being mobile and having a position-determining device, the apparatus comprising:

means for obtaining, at the server, a message based on input from a first client;

means for obtaining, at the server, an identification of a second, mobile client as the intended recipient for receiving said message, based on input from said first client;

means for obtaining, at the server, an identification of a third client, based on input from said first client; and

means for automatically triggering electronic delivery of said message to the intended recipient upon said second, mobile client being determined to be at a designated position relative to a different position of said third client, wherein motion characteristics of the intended recipient, second client and third client are not associated with each other, and wherein said designated position is a different position from where the first client provided the input.

47. (Currently amended) Apparatus for operating an electronic communications system servicing a plurality of users for enabling any sender who is a user to automatically deliver a message electronically to an intended recipient who is also a user, based on the tracked position of a specified mobile object, comprising:

means for enabling both the sender and the intended recipient to send and receive an electronically deliverable message;

means for processing and storing message data provided by the sender;

means for tracking the position of the specified mobile object;

means for automatically delivering a message electronically to the intended recipient upon arrival of the specified mobile object at a designated location ~~and with the intended recipient being at a different location, wherein said designated location is a different~~ location from where the sender provided the message data; and

means for identifying said specified mobile object, wherein said specified mobile object has a motion characteristic not associated with motion of the intended recipient.

48. (Currently amended) A method to electronically deliver a message from a sender to an intended recipient based on tracking movement of a mobile object, the method comprising:

obtaining a message provided by the sender;

obtaining a location designated by the sender for delivery of said message;

tracking a specified mobile object having a position-determining device that determines its own current position, and which transmits its then current position at preset time intervals;

determining from the transmitted current position whether the specified mobile object has reached said designated location; and

initiating a procedure for automatic delivery of said message electronically to the intended recipient upon said specified mobile object being determined to have reached said designated location, ~~and with the intended recipient being at a different location~~ wherein said designated location is a different location from where the sender provided the message, and

wherein said specified mobile object has a motion characteristic not associated with motion of than the intended recipient.

49. (Currently amended) A method to electronically deliver a message from a sender to an intended recipient based on tracking movement of a mobile object, the method comprising:

obtaining a message provided by the sender;

obtaining a location designated by the sender for delivery of said message;

tracking a specified mobile object having a position-determining device that determines its own current position, and which transmits its then current position at preset time intervals;

determining from the transmitted current position whether the specified mobile object has reached said designated location; and

initiating a procedure for automatic delivery of said message electronically to the intended recipient upon said specified mobile object being determined to have reached said designated location, ~~and with the intended recipient being at a different location~~ wherein said designated location is a different location from where the sender provided the message, and

wherein said message is at least one of data, text, audio and video modes,

wherein a mode in which said message is reproduced for the intended recipient is in accordance with a setting controlled by the intended recipient,

wherein said specified mobile object has a motion characteristic not associated with motion of the intended recipient.

50. (Currently amended) A method to electronically deliver a message from a mobile sender to an intended recipient based on tracking movement of a mobile object, the method comprising:

obtaining a message provided by the mobile sender;

obtaining a location designated by the mobile sender for delivery of said message;

tracking a specified mobile object having a position-determining device that determines its own current position, and which transmits its then current position at preset time intervals;

determining from the transmitted current position whether the specified mobile object has reached said designated location;

initiating a procedure for automatic delivery of said message electronically to the intended recipient upon said specified mobile object being determined to have reached said designated location ~~and with the intended recipient being at a different location,~~ wherein said designated location is a different location from where the mobile sender provided the message; and

identifying said specified mobile object, wherein said specified mobile object has a motion characteristic not associated with motion of the intended recipient.

51. (Previously presented) The method of claim 30, wherein said first and third clients are the same client.

52. (Previously presented) The apparatus of claim 46, wherein said first and second clients are the same client.

53. (Previously presented) The apparatus of claim 46, wherein said first and third clients are the same client.